

INDEX MAPS.

T. 11N, R. 1E. 2nd Mer.

	315		315		314		314		313		313	
317	6	342	5	336	4	331	3	327	2	322	1	312
	342		341		336		331		326		321	
317	7	341	8	335	9	331	10	326	11	321	12	312
	341		340		335		330		325		321	
316	18	340	17	334	16	330	15	325	14	320	13	312
	340		339		334		329		325		320	
316	19	339	20	334	21	329	22	324	23	319	24	312
	338		338		333		328		324		319	
316	30	338	29	333	28	328	27	323	26	318	25	311
	337		337		332		328		323		318	
315	31	337	32	332	33	327	34	322	35	317	36	311
	309		309-310		309-310		309-310		309-310		309-311	

T. 12N, R. 1E. 2nd Mer.

	349	349	349	350	350	350						
352	6	381	5	374	4	368	3	363	2	358	1	349
	381		380		374		367		362		358	
352	7	380	8	373	9	367	10	362	11	357	12	348
	379		379		373		366		362		356	
352	18	378	17	372	16	366	15	361	14	356	13	348
	378		378		371		365		361		355	
352	19	377	20	370	21	365	22	360	23	355	24	347
	377		376		370		365		360		354	
351	30	376	29	369	28	364	27	359	26	354	25	347
	376		375		369		364		359		353	
350	31	375	32	368	33	363	34	358	35	353	36	347
	346		346		346		345		345		345	

Meanders 381

The figures on the lines refer to the page.

Township N. 11 North, Range N. 1 East 2. Mer. Indiana

South Boundary.

West 1st Mile On Rand^m. between Town 10 & 11 N. 12 E.

40.00 let temp^y. q. Sec. post

80.00 let temp^y. Mile Cor. for Sec. 35 & 36, T. 11 N. R. 1 E.

Over broken land, timber Oak &c.

West 2nd Mile On Rand^m. between Town 10 & 11 N. 12 E.

39.50 a Creek 50 yds. wide C. & S. E.

40.00 let temp^y. q. Sec. post

80.00 let temp^y. Sec. post for. Sec. 34 & 35, T. 11 N. R. 1 E.

Over broken land, timber Oak, Beech &c.

West On 3rd Mile Rand^m. betwⁿ. Town 10 & 11 N. 12 E.

40.00 let temp^y. q. Sec. post

80.00 let temp^y. Sec. post, Cor. to Sec. 33 & 34, T. 11 N. R. 1 E.

over broken land timber Oak &c.

West 4th Mile On Rand^m. betwⁿ. Town 10 & 11 N. 12 E.

40.00 let temp^y. q. Sec. post.

80.00 let temp^y. Sec. post for. Sec. 32 & 33, T. 11 N. R. 1 E.

Land timber &c. same as on the last mile

West 5th Mile On Rand^m. betwⁿ. Town 10 & 11 N. 12 E.

40.00 let temp^y. q. Sec. post

80.00 let temp^y. Sec. post for. Sec. 31 & 32, T. 11 N. R. 1 E.

Over broken land timber Oak &c.

West 6th "Mile" On Random betwⁿ. Town 10 & 11 N. 12 E.

37.50 Intersected the 2nd Meridian 700 yds. N. of the cor.

variation 7° 30' E.

East On S. boundary of Sec. 31, T. 11 N. R. 1 E. 2nd Mer.

37.50 let a post Cor. to Sec. 31 & 32, from which

T.M.N. R1E. 2^d. Mer. Indiana

a W. Oak 20 mi. diam. bears S40 E 17 lbs. dist. of
a Do 12 " " " N73 W5 " "

East On S. boundary of Sec. 32, T.M.N. R1E.

40.00 Let the q. Sec. post on true line, from which
a Maple 8 mi. diam. bears N11 W 20 lbs. dist. of
a W. Oak 20 " " " S87 E 26 " "

80.00 Let a post Cor. to Sec. 32 & 33 on true line from which
a Beech 11 mi. diam. bears N25 W 8 lbs. dist. of
a W. Oak 18 " " " S4 E 10 " "

East On S. boundary of Sec. 33, Town M.N. R1E.

40.00 Let the q. Sec. post on true line from which
a Beech 12 mi. diam. bears N60 E 17 lbs. dist. of
a W. Oak 12 " " " S12 W11 " "

80.00 Let a post Cor. to Sec. 33 & 34 on true line from which
a Beech 20 mi. diam. bears S59 E 36 lbs. dist. of
a Sugar 9 " " " N79 W11 " "

East On S. boundry. of Sec. 34, Town M.N. R1E.

40.00 Let the q. Sec. post on true line from which
a Sugar 12 mi. diam. bears S73 E 35 lbs. dist. of
a Beech 10 " " " N41 E 35 " "

80.00 Let a post Cor. to Sec. 34 & 35 on true line from which
a W. Oak 9 mi. diam. bears N81 E 10 lbs. dist. of
a Do 6 " " " N61 W6 " "

East On S. boundry. of Sec. 35, T.M.N. R1E. 2^d. Mer.

40.00 Let the q. Sec. post on true line, from which
a Sugar 10 mi. diam. bears N42 E 18 lbs. dist. of
a Do 10 " " " S12 E 17 " "

80.00 Let a post Cor. to Sec. 35 & 36 on true line from which
a B. Oak 24 mi. diam. bears S87 E 33 lbs. dist. of

311

T.M. N. R. 1 E. 2^d. Mer. Indiana

a W. Oak 10 mi. dist. bears N 83° W 28 lrs. dist

East On S. boundary of Sec. 36. Town N. N. R. 1 E.

40.00 At the q. Sec. post on true line from which
a Poplar 12 mi. dist. bears S 64° E 11 lrs. dist of
a Beech 9 " " " N 36° W 9 " "

80.00 Intersected the Cor. of Town 10th N. Range 16th E.
July 1st 1814

East Boundary var. 6.15. E.

North On E. boundary of Sec. 36. T.M. N. R. 1 E.

35.68 a Beech 27 mi. dist.

37.00 a Branch 15 lrs. wide Cr. S. W.

40.00 At the q. Sec. post, from which

a Beech 18 mi. dist. bears N 12° W 20 lrs. dist of

a Do 6 " " " S 62° E 5 " "

46.50 a Creek 25 lrs. wide Cr. W.

71.04 a Beech 24 mi. dist.

80.00 At a post Cor. to Sec. 25 & 36, from which

a Beech 6 mi. dist. bears N 64° W 18 lrs. dist of

a Do 9 " " " S 62° W 32 " "

Good farming land, timber Beech, Sugar, under
Spruce &c.

North On E. boundary of Sec. 25. T.M. N. R. 1 E.

0.40 a Beech 20 mi. dist.

14.00 a Creek 100 lrs. wide Cr. S. W.

40.00 At the q. Sec. post, from which

a Beech 10 mi. dist. bears S 30° E 8 lrs. dist of

a Do 8 " " " N 47° E 19 " "

45.50 a Branch 12 lrs. wide Cr. S. W.

60.00 a Creek 30 " " " S. W.

80.00 At a post Cor. to Sec. 24 & 25. T.M. N. R. 1 E, from which

T11N R1E 2nd Mer. Indiana

a Sugar 20 in. dia. beam N 21 E 13 lks. dist. of
 a Beech 10 " " " S 71 E 10 " "
 2nd rate land timber Beech, Sugar &c. undg^d Spice

North On E. boundary of Sec. 24, T11N. R1E.

18.84 a W. Oak 42 in. dia.

40.00 At a post for q. Sec. Cor. from which
 an Oak 20 in. dia. beam S 17 E 11 lks. dist. of
 a Beech 10 " " " S 85 W 15 " "

57.94 an Oak 36 " "

74.50 a Branch 20 lks. wide C. S. W.

80.00 At a post Cor. to Sec. 13 & 24, T11N. R1E. from which
 a Beech 27 in. dia. beam N 67 E 23 lks. dist. of
 a Do 12 " " " S 47 W 11 " "
 Good farming land, timber same as on the last mile

North On E. boundary of Sec. 13, T11N. R1E.

23.39 an Oak 27 in. dia.

40.00 At the q. Sec. post, from which
 a Beech 6 in. dia. beam S 20 W 14 lks. dist. of
 a Do 8 " " " N 65 E 10 " "

70.62 a Sugar 22 " "

80.00 At a post Cor. to Sec. 12 & 13, from which
 a Beech 21 in. dia. beam N 86 E 22 lks. dist. of
 a Do 9 " " " S 66 W 15 " "
 Broken land, Beech, Sugar, Poplar, Ash, Spice

North On E. boundary of Sec. 12, T11N. R1E

24.50 a Branch 4 lks. wide C. S. W.

31.00 a Do 4 " " " S. W.

33.50 a Poplar 36 in. dia.

40.00 At the q. Sec. post from which
 a Sugar 30 in. dia. beam N 63 W 35 lks. dist. of

T11 N. R1 E. 2^d. Mer. Indiana

a Sugar 24 mi. dist. bears S44 E 41 lbs. dist. of
 80.00 Let a post Cor. to Sec. 16, 12, T11 N. R1 E, from which
 a Beech 10 mi. dist. bears N30 W 33 lbs. dist. of
 a Do. 14 " " " S69 E 32 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T11 N. R1 E.
 13.00 a Creek 30 lbs. wide C.P. & N.
 30.25 a Beech 33 mi. dist.
 40.00 Let the q. Sec. post, from which
 a Beech 12 mi. dist. bears S62 W 20 lbs. dist. of
 a Sugar 10 " " " N25 W 6 " "
 64.02 a Beech 25 " "
 78.00 Let a post Cor. to Lower 11 & 12 St. Range 16 N E.
 2^d. Meridian from which
 a Beech 7 mi. dist. bears S65 W 24 lbs. dist. of
 a Sugar 12 " " " S80 E 26 " "

North Boundary

West On S. boundary of Sec. 36, T12 N. R1 E.
 4.94 a Beech 20 mi. dist.
 40.00 Let the q. Sec. post, from which
 a Sugar 10 mi. dist. bears S83 E 26 lbs. dist. of
 a Do 8 " " " S84 W 22 " "
 51.00 a Creek 25 lbs. wide C.P. & N.
 65.76 a Beech 14 mi. dist.
 80.00 Let a post Cor. to Sec. 35 & 36, T12 N. R1 E, from which
 a ——— 14 mi. dist. bears S37 E 5 lbs. dist. of
 a Do 20 " " " S12-12 " "
 Over rolling land, timber Beech, Sugar, Poplar,
 Spruce &c. undergth.

West On S. boundary of Sec. 35, T12 N. R1 E.

T11 N R1 E, 2nd Mer. Indiana

- 11.92 a Beech 18 in. dia.
 40.00 At the q. Sec. post, from which
 an Ash 30 in. dia. bears East 6 lks. dist. of
 a Beech 8 " " " S 84 N 13 " "
 55.30 a Poplar 36 " "
 80.00 At a post Cor. to Sec. 34 & 35, T12 N, R1 E, from which
 a B. Ash 10 in. dia. bears N 56 E 6 lks. dist. of
 a Hickory 8 " " " S 54 N 19 " "
 Over rich rolling land, timber Poplar, Beech, Sugar &c.
 undergrowth Spice &c.

- West On S. boundary of Sec. 34, T12 N, R1 E.
 37.74 a Brook 3 lks. wide C.P. —
 40.00 At the q. Sec. post, from which
 a Beech 12 in. dia. bears N 43 E 17 lks. dist. of
 a Hickory 13 " " " N 29 E — " "
 64.30 a Walnut 30 " "
 80.00 At a post Cor. to Sec. 33 & 34, T12 N, R1 E, from which
 a Beech 20 in. dia. bears N 85 E 50 lks. dist. of
 a Ho 20 " " " S 37 N 26 " "
 Over level rich land, timber Maple, Poplar ash &c.
 undergth. Spice &c

- West On S. boundy. of Sec. 33, T12 N, R1 E, 2nd Mer
 22.00 a Beech 18 in. dia.
 40.00 At the q. Sec. post, from which
 a Sugar 12 in. dia. bears N 10 W 23 lks. dist. of
 a Beech 8 " " " S 41 E 20 " "
 58.30 a Sugar 20 " "
 80.00 At a post Cor. to Sec. 32 & 33, T12 N, R1 E, from which
 a Red Ash 8 in. dia. bears S 83 E 24 lks. dist. of
 a Ho 9 " " " N 70 W 5 " "
 Over rich land, timber Sugar, Ash, Beech &c.

T11 N. R1 E. D. Mer. Indiana

West On S. boundry of Sec. 32, T12 N. R1 E.

18.05 a Cherry 24 in. dia.

37.50 a Pond 20 lbs. N4 S.

40.00 At the q. Sec. post, from which
a Red Bud 6 in. dia. bears N66 W 5 lbs. dist. of
a Do 6 " " " N66 W 6 " "

80.00 At a post Cor. to Sec. 31 & 32, T12 N. R1 E. from which
a Buckeye 10 in. dia. bears S70 E 25 lbs. dist. of
a Do 12 " " " N21 E 8 " "
Rich Soil low ground, timber Maple, Hackberry
Buckeye &c.

West On S. boundry of Sec. 31, T12 N. R1 E. D. Mer.

5.00 a Sycamore 10 in. dia.

20.62 At a post on the E. bank of M. River from which
a Sycamore 12 in. dia. bears N45 W 26 lbs. dist. of
a Do 10 " " " N71 E 10 " "
River 732 lbs. wide C.P. N. E. & S. W.

28.14 At a post on the W. bank of the River from which
a Sycamore 24 in. dia. bears N67 E 2 lbs. dist. of
a Do 12 " " " S30 W 2 " "

37.80 Intersected the Town Corner.

Surveyed by John McDonald, D. S.

West Boundary or D. Principal Meridian
variation 6° 10' E.

North On E. boundary of Sec. 36, T11 N. R1 W.

40.00 At the q. Sec. post, from which
a W. Oak 20 in. dia. bears N61 E 10 lbs. dist. of
a Do 10 " " " S4 W 15 " "

57.00 a Creek 20 lbs. wide C.P. W.

80.00 At a post Cor. to Sec. 25 & 36, T11 N. R1 W. from which
a Sugar 15 in. dia. bears S15 E 25 lbs. dist. of
a Beech 5 " " " N84 W 20 " "

T.M. N. R. 1 E. 2^d. Mer. Indiana

Land hilly 2nd rate Soil, timber Oak, Beech,
Sugar, Tuesday May 24th. 1819.

- x North On E. boundary of Sec. 25, T.M. N. R. 1 W.
40.00 Set the q. Sec. post, from which
a Sugar 8 m. dist. bears N 69 E 9 lks. dist. of
a Beech 14 " " " N 30 E 16 " "
80.00 Set a post Cor. to Sec. 24 & 25, T.M. N. R. 1 W. from which
a Beech 10 m. dist. bears N 62 E 7 lks. dist. of
a Hickory 8 " " " S 53 E 15 " "
S¹/₂ land same, N¹/₂ land same post rock, ^{rather} resembles
river bottom, Beech, Oak, Hickory &c

- x North On E. boundy. of Sec. 24, T.M. N. R. 1 W.
40.00 Set the q. Sec. post, from which
a Beech 24 m. dist. bears N 73 E 22 lks. dist. of
a W. Beech 5 " " " S 13 W 10 " "
46.00 a Brook 20 lks. wide C.P. W.
80.00 Set a post Cor. to Sec. 13 & 24, T.M. N. R. 1 W. from which
a Beech 10 m. dist. bears N 16 W 19 lks. dist. of
a Hickory 27 " " " S 69 W 10 " "
1st rate bottom land, Beech, Sugar, Hickory & Ash

- North On E. boundy. of Sec. 13, T.M. N. R. 1 W.
40.00 Set the q. Sec. post, from which
a Sugar 12 m. dist. bears S 57 E 26 lks. dist. of
a Do 24 " " " S 78 W 33 " "
57.50 a Brook 8 lks. wide C.P. E.
78.00 a Creek 100 lks. wide C.P. S.W.
80.00 Set a post Cor. to Sec. 12 & 13, T.M. N. R. 1 W. from which
a Beech 10 m. dist. bears N 89 E 28 lks. dist. of
a Do 30 " " " N 79 W 38 " "
S¹/₂ land same - N¹/₂ hilly

T.M. N. P. 1 E. 2^d. Mer. Indiana

North On E. boundary of Sec. 12, T. 11 N. R. 1 W.
 40.00 At the q. Sec. post, from which
 a Hackberry 12 in. dia. bears N 70 W - 1/2 m. dist. of
 a do 18 " " " N 50 E 42 " "
 72.00 to Bayou
 80.00 At a post Cor. to Sec. 16, 12, T. 11 N. R. 1 W. from which
 a Cottonwood 24 in. dia. bears N 41 E 15 1/2 m. dist. of
 a do 18 " " " N 16 W 22 " "
 1st rate bottom which overflows

North On E. boundary of Sec. 1, T. 11 N. R. 1 W.
 40.00 At the q. Sec. post, from which
 a Sycamore 10 in. dia. bears S 9 W. 10 1/2 m. dist. of
 a do 15 " " " N 40 W 20 " "
 45.63 to a Sycamore 12 in. dia. for. cor. on the bank
 of White River
 56.89 to a Sycamore 20 in. dia. for corner on the N.W. bank
 of White River
 80.00 At a post Cor. to Town 11 of 12 N. Range 1 E of
 1 W. 2^d. Mer. from which
 a Beech 10 in. dia. bears N 82 E 10 1/2 m. dist. of
 a do 30 " " " S 84 W 26 " "
 Land timber &c. same as on the last mile
 Surveyed by William Harris, Dep. Sur.

Subdivision. var. 5.55' E
 North Between Sec. 35 & 36, T. 11 N. R. 1 E 2^d. Mer.
 21.25 a Hickory 10 in. dia.
 40.00 At the q. Sec. post, from which
 a Dogwood 3 in. dia. bears N 62 E 9 1/2 m. dist. of
 a Sassafras 8 " " " S 64 W 14 " "
 51.74 a Beech 22 " "
 67.10 a Beech 18 " "

T.M.N. P.E. 2nd. Mer. Indiana

80.00 At a post Cor. to Sect. 25, 26, 35, 36, from which
a Beech 5 in. diam. bears S 30 W 14 lbs. dist. of
a Poplar 48 " " " S 35 E 8 " "
Broken land part 3rd of part 4th rate, Poplar, W. of
P. Oak, Hickory &c. undergth P. Hickory, Dogw.
Birch, Bucktebury &c.

East On Randm. betwⁿ. Sect. 25 & 36, T.M.N. P.E.
22.00 a Stream 50 lbs. wide C.S. N.W.
30.00 Same 50 " " " S.W. by W.
40.00 At tmptth of Sec. post
80.00 Intersected E. boundary 100 lbs. S. of the post
Level wet land 2nd rate, Elm, Beech, Ash, Hackb^y.
Lycamou &c. undergth Spruce &c.

West On true line between Sect. 25 & 36, T.M.N. P.E.
20.24 a Hornbeam 5 in. diam. on true line
40.00 At the q. Sec. post at av^g. dist. on true line from which
a Beech 14 in. diam. bears S 57 W 21 lbs. dist. of
a Ho 18 " " " S 57 E 15 " "
55.64 an Elm 18 " " on true line
80.00 Section Corner September 2nd. 1819

North Between Sect. 25 & 26, T.M.N. P.E. 2nd. Mer.
19.12 a Beech 6 in. diam.
29.00 a Stream 25 lbs. wide C.S. N.W.
40.00 At the q. Sec. post, from which
a W. Oak 28 in. diam. bears N 66 W 8 lbs. dist. of
a Beech 14 " " " S 69 E 16 " "
60.10 a Beech 16 " "
71.18 a Spring branch - lbs. wide C.S. W.
80.00 an Elm 16 in. diam. Cor. to Sect. 23, 24, 25 & 26, from which
an Ash 14 in. diam. bears S 55 E 25 lbs. dist. of

T11 N. R1 E. 2^d. Mer. Indiana

a W. Oak 14 in. diam. bears S 52 W. 20 lbs. dist. 5
 1st. 65.00 level wet land 2^d. rate timber ash, W. Oak
 Beech, Elm, &c - last 15.00 broken 3^d. rate land Poplar
 ash, Beech, W. Oak &c. undr. 4th. Spruce

East on Random between Sec. 24 & 25, T11 N. R1 E
 40.00 at temp. 4. q. Sec. post
 40.00 enter a Swamp
 52.50 leave do
 75.25 a Brook 15 lbs. wide E. S. W. by W.
 80.25 intersected the N. & S. line 85 lbs. S. of the post.
 Part Broken & part level & swampy. 3^d. rate land
 W. Oak, Beech, Poplar, Ash, Maple, undr. 4th.
 Spruce, Ironw. &c

West On true line between Sec. 24 & 25, T11 N. R1 E.
 21.50 a Beech 12 in. diam. ~~on~~ on true line
 40.12 1/2 at q. Sec. post at av. dist. on true line, from which
 a Beech 10 in. diam. bears N 20 E 10 lbs. dist. 5
 an Elm 12 " " " S 37 W 24 " "
 61.00 Poplar 45 " " on true line
 80.25 to Sec. Cor. Aug. 31st. 1819

North Between Sec. 23 & 24, T11 N. R1 E. 2^d. Mer.
 19.00 a Beech 14 in. diam.
 40.00 at the q. Sec. post, from which
 a Beech 14 in. diam. bears N 60 E 30 lbs. dist. 5
 a do 18 " " " N 35 W 32 " "
 66.50 a Hickory 20 " "
 80.00 At a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Sugar tree 4 in. diam. bears S 52 E 18 lbs. dist. 5
 a Dogwood 4 " " " S 21 W 27 " "
 Broken 3^d. rate land, Hickory, Ash, Sugar Poplar &c.

M. N. P. E. 2nd Mer. Indiana

endingth Spice &c.

East On Random between Secs. 13 & 24, M. N. P. E.
 20.10 a Brook 8 lbs. wide at S. E.
 40.00 At temp. of Sec. post
 45.00 a Spring branch - lbs. wide at S.
 48.00 a Spring " " " at S. W.
 80.45 Intersected the E. boundary 44 lbs. S. of the post.
 Broken rich land, Angon, Ash, Poplar, Beech
 Walnut &c. endingth Spice &c.

West On true line between Secs. 13 & 24, M. N. P. E.
 17.00 a Poplar 18 in. diam. on true line
 40.22 At q. Sec. post on true line, at av. dist. from which
 a Beech 5 in. diam. bears S 42 E 20 lbs. dist. of
 a Walnut 20 " " " N 47 W 8 " "
 80.45 to Sec. Cor. Sept. 3rd. 1819

North Between Secs. 13 & 14, M. N. P. E. 2nd Mer.
 15.10 a Beech 18 in. diam.
 30.00 a Beech 20 " "
 40.00 At the q. Sec. post, from which
 a Beech 12 in. diam. bears S 71 W 12 lbs. dist. of
 a Do 28 " " " N 29 E 21 " "
 60.95 an Elm 14 " "
 71.50 a Brook 12 lbs. wide at S. W.
 80.00 At a post Cor. to Secs. 11, 12, 13 & 14, from which
 a Elm 18 in. diam. bears S 20 E 28 lbs. dist. of
 a Beech 3 " " " N 65 W 42 " "
 Part level quick 2nd rate land, part broken but rich
 2nd rate land, ash, Walnut, Poplar, Beech, Angon &c.
 endingth Spice &c.

T.M.N. R. 1 E. 2^d. Mer Indiana

East On Random betwⁿ. Secs. 12 & 13 T.M.N. R. 1 E.

37.18 a Spring branch—1¹/₂ hrs. wide C.P.S.

40.00 At temp^y. of Sec. post

41.10 a Spring branch—1¹/₂ hrs. wide C.P.S. & W.

71.75 a Do Do — " " " S.W. by W.

80.68 Intersected the E. boundary 57¹/₂ hrs. S. of the post.
Broken 2^d rate land, Ash, Sugar, Walnut, W. Oak &c.
undergrowth, Spice &c.

West On true line betwⁿ. Secs. 12 & 13, T.M.N. R. 1 E.

19.18 a Beech 40 in. diam. on true line

40.34 At temp^y. of Sec. post at ar^y. dist. on true line, from which
a Hornbeam 5 in. diam. bears S 54° W 6 hrs. dist. of
an Ash 24 " " " N 36° W 15 " "

79.68 a Sugar 18 " "

80.68 to Sec. Cor. Sept. 1st. 1819.

North Between Secs. 11 & 12, T.M.N. R. 1 E. 2^d. Mer.

16.00 a Brook 6 hrs. wide C.P. & W.

19.75 an Ash 20 in. diam.

33.85 a Brook 8 hrs. wide C.P. & W.

40.00 At the temp^y. of Sec. post, from which

a Beech 10 in. diam. bears S 54° E 20 hrs. dist. of

a Do 4 " " " S 42° W 25 " "

48.00 a Spring branch—1¹/₂ hrs. wide C.P. S. & E.

59.50 a Poplar 60 in. diam. (what an unlosting parcel of shingles this would ^{Emake})

80.00 At a post Cor. to Secs. 1, 2, 11 & 12, from which

an Ash 16 in. diam. bears N 52° E 20 hrs. dist. of

a Dogwood? 3 " " " N 18° W 21 " "

Part level of part Broken 2^d rate land, Sugar, ash,
Hackberry, Poplar, Walnut &c. undergth. Spice, ash &c.

East On Random between Secs. 1 & 12, T.M.N. R. 1 E

Ill. N. P. E. I. Mer. Indiana

80.50 Intersected the E. boundary 54 lks. S. of the post.
 Part broken 2nd rate land & part level 2nd rate land
 ash, Walnut, Hackberry, Oak, Poplar, Beech &c.
 undergth Spice, Ash &c.

West Out true line between Sec. 16 & 12, Ill. N. P. E.
 23.85 a Sugar tree 8 in. dia. on true line
 40.25 At q. Sec. post, at av. dist. on true line from which
 a Beech 10 in. dia. bears S 44 E 10 lks. dist. of
 a Do 8 " " " N 47 W 38 " "
 60.35 a Beech 24 " " on true line
 80.50 to Sec. Cor.

North Between Sec. 16 & 2, Ill. N. P. E. I. Mer.
 21.48 a B. Gum 18 in. dia.
 40.00 At the q. Sec. post, from which
 a Beech 5 in. dia. bears S 57 E 14 lks. dist. of
 a Do 5 " " " N 70 E 15 " "
 61.00 a Sugar tree 46 " "
 77.12 Intersected the N. boundary, 127 lks. N. of the post
 & set a post Cor. to Sec. 16 & 2, from which
 a Beech 14 in. dia. bears N 60 E 20 lks. dist. of
 a Dogwood 3 " " " S 51 W 27 " "
 Part broken 2nd rate land & part level rich 1st rate
 land, Poplar, Walnut, Hackberry, Sugar &c.
 undergrowth Spice &c. Sept. 2^d. 1819

North Between Sec. 34 & 35, Ill. N. P. E. I. Mer.
 28.87 a W. Oak 16 in. dia.
 40.00 At the q. Sec. post, from which
 a Beech 20 in. dia. bears N 5 W 31 lks. dist. of
 a Dogw. 4 " " " S 71 E 22 " "
 64.25 a B. Gum 18 " "

T. N. R. E. 2nd Mer. Indiana

74.50 a Spring branch C. P. N. E. & a Stone quarry
 80.00 At a post Cor. to Sec. 26, 27, 34 & 35, from which
 a B. Gum 28 m. dist. trans N 41 E 15 lks. dist. &
 a Beech 19 " " " N 70 W 4 " "
 Broken 3rd rate land, W. Oak, B. Oak, Spr. Oak,
 Hickory & Poplar, B. Gum &c. under ^{the} Sassafras & Dog-
 wood &c.

East On Random betw. Sec. 26 & 35, T. N. R. E.
 40.00 At temp. q. Sec. post
 46.10 a Stream 30 lks. wide C. P. W.
 79.54 Intersected the N & S. line 57 lks. S. of the post
 Part broken & part level rich W. Oak, Beech, Poplar
 Elm, Ash, Sycamore &c. under ^{the} Spruce &c.

West On true line between Sec. 26 & 35, T. N. R. E.
 26.75 a Beech 14 m. dist. on true line
 39.77 At q. Sec. post at av. dist. on true line, from which
 a Poplar 48 m. dist. trans N 47 E, 22 lks. dist. &
 a Beech 22 " " " S 10 W 15 " "
 42.04 a Sycamore 21 " " on true line
 56.13 a Elm 15 m. dist. on true line
 79.54 to Sec. Cor.

North Between Sec. 26 & 27, T. N. R. E. 2nd Mer.
 2.20 a Spring branch — lks. wide C. P. N. E.
 20.12 an Elm 16 m. dist.
 40.00 At the q. Sec. post, from which
 a Beech 10 m. dist. trans S 28 E 20 lks. dist. &
 a Do 6 " " " N 80 E 38 " "
 71.00 a W. Oak 10 " "
 73.20 a Brook 10 lks. wide C. P. N. N. E.
 80.00 At a post Cor. to Sec. 22, 23, 26 & 27, from which

Ill. N. P. E. 2^d, Mer. Indiana

a Beech 4 in. diam. bears N 50 E 23 lks. dist. of
 a Hornbeam 4 " " " N 73 W — " "
 Part broken 3rd rate part broken 2^d rate land
 Hickory, W. Oak, Elm, Ash, Beech &c. undg.th Dog-
 wood, Sassafras, Spice &c. Sept. 3rd. 1879

East On Random between Sec. 23 & 26, Ill. N. P. E.

14.50 a Brook 10 lks. wide C. S. N. E.

38.00 a Stream 50 " " " N. W.

40.00 Set tmpp. of Sec. post

79.58 Intersected the N & S. line 14 1/2 lks. S. of post

Part level & part broken, W. Oak, Hickory, Beech
 &c. undg.th Spice ash &c.

West On true line between Sec. 23 & 26, Ill. N. P. E.

20.57 a Beech 24 in. diam. on true line

39.79 Set of Sec. post at a of. dist. on true line, from which
 a Beech 4 in. diam. bears N 46 W 20 lks. dist. of
 a Hornbeam 4 " " " N 34 E 28 " "

56.73 a Sugar tree 28 " " on true line

79.58 to Sec. Corner.

North Between Sec. 22 & 23, Ill. N. P. E.

16.75 a Hickory 24 in. diam.

40.00 Set the of. Sec. post, from which

a Hickory 3 in. diam. bears N 25 W 18 lks. dist. of

a W. Elm 16 " " " N 72 E 20 " "

43.50 a Stream 50 lks. wide C. S. N. W.

58.10 a Sugar tree 18 in. diam.

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which

a Sp. Oak 6 in. diam. bears N 60 E 24 lks. dist. of

a Do 12 " " " S 9 W 15 " "

Level with 2^d rate land, Beech, Hickory, B. Oak,

T. N. R. E. 2^d. Mer. Indiana

Elm, Lycamore, Boxwood, W. Oak &c. under grth.
Spice, ash, Hazel &c.

East On Random between Sec. 14 & 23, T. N. R. E.

40.00 At temp^y. g. Sec. post

80.00 Intersected the N. & S. line 135 lks. S. of the post.
Post broken & part level land, W. Oak, Hick^y, ash,
Angar, Poplar & Spice, ash & undergrowth.

West On true line between Sec. 14 & 23, T. N. R. E.

24.84 a Beech 24 in. diam. on true line

40.00 At g. Sec. post at an g. dist. on true line, from which
a Poplar 2 1/2 in. diam. bears N 63 E 16 lks. dist. &
a Cherry bush 1 1/2 " " " N 41 E 19 " "

56.52 a Beech 18 " " on true line

80.00 to Sec. Cor.

North Between Sec. 14 & 15, T. N. R. E. 2^d. Mer.

16.50 a Turkey Oak 40 in. diam. at which time enter a Swamp

37.50 leave the Swamp

40.00 At the g. Sec. post, from which
a Beech 14 in. diam. bears N 63 E 22 lks. dist. &
a Do 17 " " " S 32 W 18 " "

60.00 a Beech 22 " "

69.25 a Brook 12 lks. wide C. S. S. W. by W.

80.00 At a post Cor. to Sec. 10, 11, 14 & 15, from which
a Hickory 18 in. diam. bears S 56 E 27 lks. dist. &
a Beech 14 " " " S 44 W 20 " "
Level wet 3^d. rate land, Beech, ash, Oak, Maple
&c. under grth. Spice, Hazel &c.

East On Random between Sec. 11 & 14, T. N. R. E.

37.68 a Brook 10 lks. wide C. S. E.

T.M.N. R1 E. 2nd. Mer. Indiana

40.00 At temp. of Sec. post

79.68 Intersected the N & S. line 120 lbs. S. of the corner
Level 2nd & 3rd rate land, B. Ash, W. Oak, Hickory,
Beech, &c. undergth. Spruce. Sept. 3rd. 1819.

West On true line between Sec. 11 & 14, T.M.N. R1 E.

17.91 an Ash 18 in. diam. on true line

39.84 At of Sec. post, at av. g. dist. on true line, from which
a Beech 8 in. diam. bears N 42 E 16 lbs. dist. of
a Do 4 " " " N 72 W 15 " "

57.43 a Br. Oak 4 " " on true line

79.68 to Sec. Corner

North Between Sec. 10 & 11, T.M.N. R1 E. 2nd. Mer.

18.75 a Pur Oak 20 in. diam.

40.00 At the of Sec. post, from which
a Beech 14 in. diam. bears S 27 E 12 lbs. dist. of
a Sugar tree 11 " " " N 35 W 27 " "

63.84 a Butternut 18 " "

80.00 At a post Cor. to Sec. 2, 10, 11, from which
a Beech 8 in. diam. bears S 33 E 20 lbs. dist. of
a Hickory 4 " " " S 56 W 16 " "Level 2nd rate land, Bur & Turkey Oak, B. Ash,
Hickory, Beech &c. undergth. Spruce, Hazel &c

East On Random between Sec. 2 & 11, T.M.N. R1 E.

13.00 a Spring branch - lbs. wide C.S. S.W.

29.50 a Do do - " " " N.W. by W

35.50 a Do do - " " " S.W. by W

40.00 At temp. of Sec. post

79.75 Intersected the N & S. line 50 lbs. S. of the corner.
Part level & post broken 2nd rate land, ash, Beech, Walnut,
Hackb. &c. undergth. Spruce, Ash, Hazel &c.

T.M. N. P. 1 E. 2^d. Mer. Indiana

West On true line between Sec. 2 & 3, T. 11 N. P. 1 E. 2^d. Mer.
 17.08 an Ash 18 in. dia. on true line
 39.87 At qt. Sec. post, at av. dist. on true line from which
 a Beech 14 in. dia. bear S 49 E 29 lbs. dist. of
 an Ash 16 " " " N 45 W 31 " "
 53.25 a W. Oak 22 " " on true line
 79.75 to Sec. Cor.

North Between Sec. 2 & 3, T. 11 N. P. 1 E. 2^d. Mer.
 20.50 a Sugar 24 in. dia.
 40.00 At the qt. Sec. post, from which
 a W. Oak 10 in. dia. bear S 67 E 25 lbs. dist. of
 a Beech 4 " " " N 65 W 18 " "
 62.80 a Sp. Oak 18 " "
 78.74 Intersected the st. boundary 250 lbs. W. of post
 At a post Cor. to Sec. 2 & 3, from which
 a Beech 20 in. dia. bear S 55 W 25 lbs. dist. of
 a Hickory 4 " " " N 18 W 20 " "
 Part level & part broken 2^d. rate land, Hackberry, oak,
 Hickory, Beech, Sugar tree Oak &c. undag. Spruce
 ash, Hazel, birch &c. Sept. 4th, 1819.

North Between Sec. 33 & 34, T. 11 N. P. 1 E. 2^d. Mer.
 18.10 a Hickory 16 in. dia.
 28.75 a Beech 14 " "
 40.00 At the qt. Sec. post from which
 a Hickory 8 in. dia. bear N 31 W 15 lbs. dist. of
 a Dogwood 3 " " " N 65 E 14 " "
 63.38 a Hickory 18 " "
 80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which
 a Dogwood 4 in. dia. bear N 53 E 15 lbs. dist. of
 a Hornbeam 5 " " " S 25 E 21 " "
 Broken 3^d. rate land, Sp. Oak, W. Oak, Poplar &c.

Met. R1 E 2^d. Mer. Indiana

under th Dogwood, Hornbeam, Sassafras, birch &c.

East On Rand^m. betwⁿ Sec^s. 27 & 34, T11 N. R1 E
 40.00 At temp^y. of Sec. post
 79.00 a Spring branch W. N. E.
 80.14 Intersected the N & S. line 12 hrs. S. of the post
 Broken 4th rate land, Sp. W. & Chestnut Oak, Hickory
 Beech &c. under th Hick^y, Sassafras, birch &c.

West On true line between Sec^s. 27 & 34 T11 N. R1 E
 19.64 a Hickory 16 in. dia. on true line
 40.07 At of Sec. post at a of. dist. on true line from which
 a Sassafras 4 in. dia. bran. N 43 E 18 hrs. dist. of
 a Hickory 6 " " " N 19 W 12 " "
 60.39 a Sp. Oak 15 " " on true line
 80.14 to Sec. Corner.

North Between Sec^s. 27 & 28, T11 N. R1 E 2^d. Mer.
 16.94 a Beech 24 in. dia.
 40.00 At the of. Sec. post, from which
 a B. Oak 4 in. dia. bran. N 45 E 10 hrs. dist. of
 a Beech 5 " " " S 31 W 18 " "
 59.75 a Maple 12 " "
 80.00 At a post Cor. to Sec^s. 21, 22, 27 & 28, T11 N. from which
 a Hick^y 14 in. dia. bran. N 42 E 13 hrs. dist. of
 a Dogwood 5 " " " S 52 W 30 " "
 Broken 3^d rate land, W & B. Oak, Beech, Hickory
 Poplar &c. under th Dogwood, Hornbeam, Hick^y, birch &c.

East On Random between Sec^s. 22 & 27, T11 N. R1 E
 40.00 At temp^y. of Sec. post
 79.10 Intersected the N & S. line 58 hrs. S. of post
 1st of mile, broken 3^d rate land 2nd of mile level

T. M. N. R. E. 9th, Allen, Indiana

2nd rate land W. Sp. Oak, Beech, Poplar, Elm, Ash &c
undergth. Sassafras, Hickory, birch, Hazel &c

West On true line between Sec. 22 & 27, T. M. N. R. E.
20.42 an Elm 14 in. dia. on true line
39.55 Set gth. Sec. post at av. dist. on the true line from which
a Sassafras 2 in. dia. bears S 52 E 5 lks. dist. &
a Do 2 1/2 " " " N 31 E 14 " "
59.35 a W. Oak 22 " " on true line
79.10 to Sec. Cor. Sept. 6th, 1819

North Between Sec. 21 & 22, T. M. N. R. E. 9th, Allen.
21.75 an Ash 14 in. dia.
40.00 Set the gth. Sec. post, from which
a Chestnut Oak 5 in. dia. bears S 32 E 18 lks. dist. &
a Do 7 " " " S 37 W 20 " "
62.42 a Beech 14 in. dia.
80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Dogwood 3 in. dia. bears N 75 E 20 lks. dist. &
a W. Oak 4 " " " N 39 W 10 " "
Broken 4th rate land, W. Sp. & Chestnut Oak, B. Hickory,
undergth. Sassafras, Sp. Oak, Huckleberry, birch &c.

East On Random between Sec. 15 & 22, T. M. N. R. E.
40.00 Set temp^{ly} gth. Sec. post
53.25 a stream 50 lks. wide C. & N. R.
78.93 Intersected the et & S. line at the post. First 1/2
mile Broken 1st rate land. Sp. Oak, Hickory, Chestnut Oak
last 1/2 mile level 2nd rate land, Beech, Elm, W. Oak,
Lycamore &c. undergth. Hickory, Sp. Oak, Huckleberry
Spice, Hazel &c.

West On true line between Sec. 15 & 22, T. M. N. R. E.

T.M.N. R1 E. 2^d. Mer. Indiana

- 10.11 a Beech 14 in. dia. on true line
 39.46 Set q. Sec. post at av. dist. on true line, from which
 a Beech 34 in. dia. bears N 55 E 15 lbs. dist. &
 a Hornbeam 3 " " " S 58 - 10 " "
 68.46 a Poplar 14 " " on true line
 78.93 to Sec. Corner.

North Between Sec. 15 & 16, T.M.N. R1 E. 2^d. Mer.

- 19.90 a Hickory 14 in. dia.
 22.00 a Brook 10 lbs. wide C.S. N.W.
 40.00 Set the q. Sec. post, from which
 a Hornbeam 4 in. dia. bears N 79 E 19 lbs. dist. &
 a Dogwood 3 " " " S 10 W 11 " "
 59.00 a Stream 5 lbs. wide C.S. W.
 66.48 a Beech 35 in. dia.
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Sugar tree 6 in. dia. bears N 67 E 21 lbs. dist. &
 a Beech 6 " " " S 45 E 11 " "
 Part, broken 4th rate land - and part level 2^d rate land
 Sp. & W. Oak, Hickory, Beech, Ash, Sycamore, Sugar &c.
 undgth Sp. Oak, B. Hickory, Ironw. ^o Spruce &c.

East On Random between Sec. 10 & 15, T.M.N. R1 E.

- 40.00 Set temp. q. Sec. post
 78.75 Intersected the N & S. line 35 lbs. S. of the post
 Level w. 2^d rate land Beech, Br. Oak, Sycamore
 Swamp, Oak, Elm, Maple &c. undgth Spruce, ash &c.

West On true line between Sec. 10 & 15, T.M.N. R1 E.

- 17.75 a Beech 14 in. dia. on true line
 39.87 Set q. Sec. post, at av. dist. on true line from which
 a Beech 6 in. dia. bears S 32 W 18 lbs. dist. &
 a Beech 12 " " " N 63 W 45 " "

T11 N. R1 E. 2^d. Mer. Indiana

54.63 a Sugar tree 18 in. diam. on true line
78.75 to Sec. Corner. Sept. 7. 1819

North Between Secs. 9 & 10, T11 N. R1 E. 2^d. Mer.

22.30 a Poplar 54 in. diam.

40.00 At the q. Sec. post, from which
a Sugar 14 in. diam. bears N 20 W 18 lbs. dist. &
a Dogwood? 3 " " " N 25 E 20 " "

58.75 a Spanish Oak 36 in. diam.

80.00 At a post Cor. to Secs. 3, 4, 9, 10, from which
a Hickory 5 in. diam. bears N 41 E 20 lbs. dist. &
a Maple 16 " " " S 23 W 24 " "
Level met 2^d. rate land Br. Oak, B. Ash, Sweet Gum,
Hickory, Elm &c. underg^d. Swamp Dogwood? Spice &c.

East On Random between Secs. 3 & 10, T11 N. R1 E.

40.00 At the q. Sec. post temporarily

79.00 Intersected the N & S. line 18 lbs. S. of the post
Level met 2^d. rate land Br. Oak, Sweet Gum, Turkey
Oak Maple &c. underg^d. Spice Hazel &c.

West On true line between Secs. 3 & 10, T11 N. R1 E.

23.50 an Ash 16 in. diam. on true line

39.50 At q. Sec. post at a q. dist. on true line, from which
a B. Ash 20 in. diam. bears N 64 W 18 lbs. dist. &
a Do 5 " " " N 44 E 24 " "

60.63 an Elm 14 in. diam. on true line

79.00 to Sec. Corner.

North Between Secs. 3 & 14, T11 N. R1 E. 2^d. Mer.

22.50 a Beech 18 in. diam.

40.00 At the q. Sec. post, from which
an Elm 18 in. diam. bears S 26 E 18 lbs. dist. &

Ill. N. R. 1 E. 2nd. Mer. Indiana

a Beech 22 in. diam. beam N 43 W 19 lks. dist. &
 59.00 a W. Walnut 14 in. diam. in the line
 79.92 Intersected the N. Boundary 1.37 lks. W. of the Cor.
 Set a post Cor. to Sec. 3 & 4, from which
 an Ash 4 in. diam. beam N 45 W 12 lks. dist. &
 a Do 14 " " " N 43 E 21 " "
 Level 2nd rate land, Beech, Elm, Ash, W. Oak &c.
 undergth Spice Hazel &c. Sept. 8th 1819.

North Between Sec. 33 & 32, Ill. N. R. 1 E. 2nd. Mer
 20.00 a W. Oak 16 in. diam.
 33.50 a Brook 8 lks. wide C. S. N. W.
 40.00 Set the q. Sec. post, from which
 a Beech 3 in. diam. beam N 59 W 10 lks. dist. &
 a Do 14 " " " N 87 E 20 " "
 53.00 a Brook 10 lks. wide C. S. S. W.
 57.00 a W. Oak 16 in. diam.
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Hickory 14 in. diam. beam N 52 W 8 lks. dist. &
 a Do 16 " " " N 25 W 18 " "
 Broken 3rd rate land, W. & Sp. Oak, Beech, Hickory &c.
 undergth Dogwood, Sassafras, Hick. Brier &c.

East On Random between Sec. 28 & 33, Ill. N. R. 1 E.
 40.00 Set temp. q. Sec. post
 79.75 Intersected the N. & S. line at the post. Broken
 3rd rate land, W. & B. Oak, Beech, Hickory, B. Elm,
 &c. undergth Dogwood, Sassafras, oak, Hick. Buckleberry &c.

West On true line between Sec. 28 & 33, Ill. N. R. 1 E.
 19.45 a Beech 24 in. diam. on true line
 39.87 Set the q. Sec. post at a q. dist. on true line from which
 a W. Oak 14 in. diam. beam N 36 W 21 lks. dist. &

T11 N. R1 E. T^r. Mer. Indiana

a Sassafras 1 in. dia. bear S 50-80 ls. dist.
 63.30 a Sp. Oak 18 in. dia. on true line
 79.75 to Sec. Corner.

North Between Secs. 28 & 29, T11 N. R1 E. T^r. Mer.

21.50 a Poplar 16 in. dia.

40.00 At the q. Sec. post from which
 a W. Oak 4 in. dia. bear N 21 E 16 ls. dist. &
 a Do 20 " " " S 50 W 22 " "

55.10 a Brook 10 ls. wide C. S. N.

62.75 a Do 8 " " " West.

67.50 a Sp. Oak 40 in. dia. in the line

80.00 At a post Cor. to Secs. 20, 21, 28 & 29, from which
 an Ash 18 in. dia. bear N 72 E 14 ls. dist. &
 a Hickory 4 " " " S 46 E 20 " "
 Broken 3^d rate land; W & W. Oak, Beech, Sp. Oak,
 Hickory; undugth Sassafras, Logw. Hick. Birch, Buck-
 lerry &c. Sept. 9th 1819

East On Random between Secs. 21 & 28, T11 N. R1 E.

40.00 At temp^y q. Sec. post

79.68 Intersected the N & S. line 12 ls. N. of the post
 Broken 3^d rate land; W & W. Oak, Chestnut & Sp. Oak
 Beech, B. Gum &c. undugth Logw. Sassafras, Birch &c

West On true line between Secs. 21 & 28, T11 N. R1 E.

12.11 a B. Gum 18 in. dia. on true line

39.84 At q. Sec. post at av^g. dist. on true line from which
 a W. Oak 3 in. dia. bear N 48 E 9 ls. dist. &
 a Hickory 2 1/2 " " " N 14 E 15 " "

61.88 a W. Oak 14 in. dia. on true line

79.68 to Sec. Corner.

Ill. N. R. 1 E. 2nd Mer. Indiana

North Between Secs. 20 & 21, Ill. N. R. 1 E.

25.75 a Hickory 14 in. dia.

40.00 Let the g. Sec. post from which
an Elm 8 in. dia. bears N 55 E 10 lbs. dist. &
an Angar 18 " " " S 60 W 14 " "

59.25 a Sassafras 14 in. dia.

66.14 a Spring branch C. P. W.

72.00 a Brook 6 lbs. wide C. P. S. W. by W.

80.00 Let a post Cor. to Secs. 16 & 17, 20 & 21, from which
a Sp. Oak 16 in. dia. bears N 65 E 14 lbs. dist. &
a W. Oak 18 " " " S 62 W 20 " "
Broken 3rd rate land, W & B. Oak, Sp. Oak, Angar &c.
winding Sassafras, Hickory, Oak, birch &c.

East On Randers betw. Secs. 16 & 21 Ill. N. R. 1 E.

40.00 Let temp. g. Sec. post

79.85 Intersected the Co. boundary 28 lbs. S. of post
Broken 3rd rate land, W & B. Oak, Chestnut Oak,
Peech, Hickory &c. winding Sassafras, Dogwood, Ironwood,
Birch, Hickory &c.

West On true line betw. Secs. 16 & 21, Ill. N. R. 1 E.

20.73 a Beech 14 in. dia. on true line

39.92 Let g. Sec. post at ar. g. dist. on true line from which
a P. Gum 3 in. dia. bears N 35 E 14 lbs. dist. &
a Dogwood 3 " " " S 20 E 18 " "

57.40 a P. Gum 24 in. dia. on true line

79.85 Section Corner

North Between Secs. 16 & 17, Ill. N. R. 1 E. 2nd Mer.

22.15 a P. Gum 24 in. dia.

40.00 Let the g. Sec. post, from which
a W. Oak 8 in. dia. bears N 53 W 15 lbs. dist. &

T.M.N. R1E2^d. Mer. Indiana

a Beech 14 in. dia. bear S 77 E 16 lbs. dist. of
 58.12 a Beech 24 " "
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 15 in. dia. bear N 35 W 26 lbs. dist. of
 a Hickory 14 " " " S 62 E 10 " "
 Broken 3^d rate land, B. Oak, W. Oak, Beech, Hickory,
 undugth, Sassafras, Ironw. Dogw. Birch, &c.
 September 14th. 1819

East On Rand^m between Sec. 9 & 16, T11 N. R1 E.
 20.00 Stream 50 lbs. wide C.P. M. N. M.
 40.00 Left turn off. of Sec. post
 79.30 Intersected the N & S. line 65 lbs. S. of the post
 1st 20.00 Broken 3^d rate land. residue level 3^d rate
 land, W. Oak, Hickory, Beech, B. Oak, Maple &c.
 undugth Oak, Hickory, Sassafras, Birch, Spruce &c.

West On true line between Sec. 9 & 16, T11 N. R1 E
 21.00 a Sugar 16 in. dia. on true line
 39.65 Set the of Sec. post at av. J. dist. on true line from which
 a Beech 14 in. dia. bear S 55 W 18 lbs. dist. of
 a Do 8 " " " N 52 E 25 " "
 58.30 a Beech 5 " " on true line
 79.30 to Sec. Cor. Sept. 10th. 1819

North Between Sec. 8 & 9, T11 N. R1 E, D^d. Mer.
 12.00 a Stream 50 lbs. wide C.P. M. N. M.
 24.15 a Beech 14 in. dia.
 40.00 Left the of Sec. post, from which
 a Hickory 18 in. dia. bear N 20 E 12 lbs. dist. of
 a Hornbeam 6 " " " S 25 E 18
 59.00 a Sugar tree 16 " "
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which

T11 N. R1 E. 2^d. Mer. Indiana

a Beech 4 in. diam. bears N 63 E 15 lks. dist. &
 a Do 18 " " " S 62 W 23 " "
 1st 1/4 mile level out 2^d rate land - last level 1st rate
 land, W. Oak, Beech, Sugar, Hackberry, Walnut &c.
 underg.th Spice, pawpaw &c.

East On Random between Sec. 4 & 9, T11 N. R1 E.
 40.00 Set temp. of Sec. post
 78.83 Intersected the N & S. line 93 lks. S. of the post. Level
 rich 1st rate land, W. O. Walnut, Hackberry, ash, W. Oak,
 Cherry &c. underg.th Spice, pawpaw &c.

West On true line between Sec. 4 & 9, T11 N. R1 E. 2^d. Mer.
 17.60 a Sugar tree 24 in. diam. on true line
 39.41 Set of Sec. post at av. g. dist. on true line, from which
 a Hackberry 10 in. diam. bears S 45 W 38 lks. dist. &
 a Do 5 " " " S 83 E 20 " "
 59.78 an Ash 18 in. diam. on true line
 78.83 to Sec. Corner.

North Between Sec. 4 & 5, T11 N. R1 E. 2^d. Mer.
 20.10 a Mulberry 10 in. diam.
 40.00 Set the of Sec. post, from which
 a Hornbeam, 5 in. diam. bears N 62 E 6 lks. dist. &
 a Walnut 16 " " " S 39 E 14 " "
 61.40 an Elm 32 " "
 80.34 Intersected the N. boundary 382 lks. E. of the post &
 Set a post Cor. to Sec. 4 & 5, from which
 a Hackberry 14 in. diam. bears S 43 E 23 lks. dist. &
 an Ash 12 " " " S 70 W 30 " "
 Level rich 1st rate land; Walnut, Hackberry, Cherry, ash
 &c. underg.th Spice, ash, Hazel &c. Sept. 13th 1879.

T11 N. R1 E. 2^d. Mer. Indiana

North Between Secs. 31 & 32, T11 N. R1 E. 2^d. Mer.

21.50 a W. Oak 18 in. dia.

40.00 At the q. Sec. post, from which
a Hickory 3 in. dia. bears N 57° W 4 lbs. dist. &
a W. Walnut 14 " " " S 44° E 8 " "

44.65 a Brook 10 lbs. wide C.P. S. W.

58.50 a Hickory 16 in. dia.

69.15 a Brook 10 lbs. wide C.P. S. S. W.

80.00 At a post Cor. to Secs. 29, 30, 31 & 32, from which
a Logwood 4 in. dia. bears S 19° W. 14 lbs. dist. &
an Ironwood 4 " " " S 45° E 18 " "
Broken 3^d. cateland, W. O. Oak, Hickory, Beech &c
undergth. Lassafras, Dogw. Hickory briar &c.

East On Random between Secs. 29 & 32, T11 N. R1 E.

35.10 a Brook 8 lbs. wide C.P. S. W.

40.00 At temp. q. Sec. post

79.05 Intersected the N & S. line 50 lbs. S. of the post
Broken from 3^d. cateland; W. O. Oak, Hickory,
Chesnut Oak &c. undgth. Dogw. Hick. Huckleberry briar &c.

West On true line between Secs. 29 & 32, T11 N. R1 E.

39.02 At the q. Sec. post at av. dist. on true line, from which
a W. Oak 12 in. dia. bears N 69° W 12 lbs. dist. &
a Do 6 " " " S 10° W 18 " "

58.30 a Beech 8 " " on true line

79.05 to Sec. Corner September 14th 1819

West Between Secs. 30 & 31, T11 N. R1 E. 2^d. Mer.

8.25 a Spring branch - lbs. wide C.P. S. W.

22.85 a W. Oak 32 in. dia.

37.83 Intersected the 2^d. Meridian 18 lbs. N. of the post. &
At a post Cor. to Secs. 30 & 31, from which

T.M. N. P. E. 2^d. Mer. Indiana

a Sugar 18 in. dia. brans N 73 E 27 lbs. dist. of
 a Beech 4 " " " N 66 E 44 " "
 Broken 3^d. rate land; W. Oak, Beech, Sugar, B. Oak &
 underg. th dogwood, horn, Sassafras, birch, &c.

North Between Sec. 29 & 30, T.M. N. P. E. 2^d. Mer.

21.90 a Hickory 14 in. dia.
 40.00 At the g. Sec. post, from which
 a Hickory 12 in. dia. brans N 54 E 14 lbs. dist. of
 a Beech 14 " " " N 56 E 20 " "
 61.50 a Hickory 18 " "
 80.00 At a post Cor. to Sec. 19, 20, 29 & 30, from which
 an Elm 18 in. dia. brans N 49 E 18 lbs. dist. of
 a Beech 5 " " " N 62 W 14 " "
 Broken 3^d. rate land; Beech, W. B. Oak, Elm, Sugar,
 &c. underg. th Spruce, ash &c.

East On Random between Sec. 20 & 29, T.M. N. P. E.

27.15 at Brook 14 lbs. wide W. S. N.
 40.00 At temp. g. Sec. post
 79.75 Intersected the N & S line 125 lbs. S. of the post.
 Broken 3^d. rate land; W. B. & Sp. Oak, Hickory, Beech
 &c. underg. th Sassafras, Hickory, birch &c.

West On true line between Sec. 20 & 29, T.M. N. P. E.

20.29 a W. Oak 24 in. dia. on true line
 39.87 At g. Sec. post at a g. dia. on true line, from which
 a Beech 14 in. dia. brans N 42 E 18 lbs. dist. of
 a Do 12 " " " N 78 E 26 " "
 58.63 a Hickory 18 " " on true line
 79.75 to Sec. Corner Sept. 15th. 1819

West Between Sec. 19 & 30, T.M. N. P. E. 2^d. Mer.

T11 N. R1 E. T^r. Mer. Indiana

- 19.75 a Beech 18 in. dia.
 38.56 Intersected the T^r. Meridian 138 lbs. N. of the post of
 let a post Cor. to Sec. 19 & 30, from which
 a Hickory 20 in. dia. bears S62 E 27 lbs. dist. of
 a W. Oak 16 " " " N37 W 32 " "
 Broken 3rd rate land; W. & B. Oak, Hickory, ash &c.
 undergth. Spruce &c

- North Between Sec. 19 & 20, T11 N. R1 E. T^r. Mer.
 18.60 a Sugar 18 in. dia.
 22.00 a Brook 12 lbs. wide W. & N. W.
 40.00 let the q^r. Sec. post, from which
 a Beech 4 in. dia. bears N68 E 20 lbs. dist. of
 a Sugar 14 " " " N12 W 25 " "
 62.15 a Sugar 14 " "
 80.00 let a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 24 in. dia. bears N13 W 22 lbs. dist. of
 a Walnut 10 " " " S35 E 18 " "
 1st 1/2 mile broken 2nd rate; last 1/2 mile level rich land,
 Sugar, ash, Walnut &c, undergth. Spruce &c.

- East On Random betwⁿ. Sec. 17 & 20, T11 N. R1 E.
 40.00 let temp^y. q^r. Sec. post
 79.80 Intersected the N & S. line 125 lbs. S. of the post.
 1st 1/2 mile level rich land, balance broken 3rd rate land;
 Sugar, Walnut, Beech, W. & B. Oak, Hickory &c, undergth.
 Spruce, Hazel, Sassafras, birch &c.

- West On true line between Sec. 17 & 20, T11 N. R1 E.
 16.80 a Sugar tree 20 in. dia. on true line
 39.90 let q^r. Sec. post at a q^r. dist. on true from which
 a Hickory 5 in. dia. bears N56 W 4 lbs. dist. of
 a W. Oak 4 " " " S55 W 10 " "

T.M. N. P. 1 E. 2^d. Mer. Indiana

55.30 a W. Walnut 8 in. dia., on true line
79.80 to Sec. Corner.

Nest On true line between 18 & 19, T.M. N. P. 1 E
21.85 a Beech 18 in. dia.
38.72 Intersected the 2^d. Meridian 250th ft. of the post &
Set a post Cor. to Sec. 18 & 19, from which
a Hornbeam 5 in. dia. bears N 47 E 18 lbs. dist. &
an Ash 3 " " " N 72 E 31 " "
Level 1st. rate land; Sugar tree, Walnut, Poplar, Beech
Ash; undergth. Spice &c. Sept. 16th. 1819.

North Between Sec. 17 & 18, T.M. N. P. 1 E. 2^d. Mer.
20.27 a Beech 18 in. dia.
40.00 At the q^r. Sec. post, from which
a Beech 18 in. dia. bears N 45 E 18 lbs. dist. &
an Elm 4 " " " S 85 E 20 " "
56.50 a stream 54 lbs. wide C.P. S.W.
67.30 a Sugar tree 18 in. dia.
80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 18 in. dia. bears N 45 W 12 lbs. dist. &
a do 5 " " " N 62 E 12 " "
Level 1st. rate land; Sugar tree, Walnut, Beech, Ash,
Sycamore &c. undergth. Spice &c.

East On Land betwⁿ. 8 & 17, T.M. N. P. 1 E.
24.90 a stream 50 lbs. wide C.P. S.S.W.
40.00 At temp^y. q^r. Sec. post
79.62 Intersected the N & S. line 24 lbs. S. of the post
1st. 1/2 mile level 1st. rate land; Beech, Hackberry, Ash,
Sugar, Walnut, &c. 2^d. 1/2 mile bottom 3^d. rate land, W &
B. Oak, Hick^y. &c. undergth. Spice, Sassafras, Hick^y, gum trees, &c.

T.M. N. P.E. 2^d Mer. Indiana

West On true line between Sec. 8 & 17, T.M. N. P.E.
 18.87 a Beech 18 in. dia. on true line
 39.81 Set q. Sec. post at av. j. dist. on true line, from which
 a Hackberry 15 in. dia. bears N 46 E 8 lks. dist. &
 a Do 24 " " " S 76 E 15 " "
 60.37 a Beech 18 " " on true line
 79.62 to Sec. Corner.

West Between Sec. 7 & 18, T.M. N. P.E. 2^d Mer.
 20.82 a Hackberry 14 in. dia.
 39.08 Intersected the 2^d Meridian 339 lks. N. of post &
 set a post Cor. to Sec. 7 & 18, from which
 a Hickory 5 in. dia. bears N 56 E 10 lks. dist. &
 a White Thorn 4 " " " S 24 E 19 " "
 Level 1st rate land; Walnut, Hackberry, Hickory
 Beech &c. underg. th Spice &c

North Between Sec. 7 & 8, T.M. N. P.E.
 20.14 a Skull bark Hickory 28 in. dia.
 40.00 Set the q. Sec. post, from which
 a Buckeye 5 in. dia. bears N 22 W 14 lks. dist. &
 a Do 10 " " " S 54 W 18 " "
 60.30 an Elm 48 " "
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Hackberry 18 in. dia. bears N 25 W 14 lks. dist. &
 a B. Oak 12 " " " S 73 W 23 " "
 Level 1st rate land; Walnut, Hackberry, Locust, Beech,
 Hickory &c. underg. th Spice, paw paw &c. Sept. 17. 1819.

East On Random between Sec. 5 & 8, T.M. N. P.E.
 40.00 Set temp. q. Sec. post
 78.50 Intersected the N & S. line 87 lks. S. of the post.
 Level 1st rate land; Walnut, Cherry, W. Oak, Ash,

Tl. N. R. 1 E. 2^d. Mer. Indiana

fe. underyth. Spice, Hazel &c.

West On true line between Sec. 5 & 8, Tl. N. R. 1 E.

18.05 an Ash 18 m. dia., on true line

39.25 Set of Sec. post at ar. dist. on true line, from which
an Ash 16 m. dia., bear S 12 E 15 lbs. dist. of
a Maple 24 " " " N 10 W 20 " "

52.75 a Sugar 42 " " on true line

78.50 to Sec. Corner

West Between Sec. 6 & 7, Tl. N. R. 1 E. 2^d. Mer.

22.15 a Hackberry 10 m. dia.

39.20 Intersected the 2^d. Mer. 470th N. of the post. of
Set a post Cor. to Sec. 6 & 7, Tl. N. R. 1 E. from which
a Sycamore 18 m. dia. bear S 60 E 84 lbs. dist. of
a Maple 14 " " " N 53 E 92 " "
Level 2^d. rate land; Cut with Savannahs, Walnut, Hack-
berry, Sycamore, Cottonwood, Maple, fe. underyth.
Spice, pawpaw, Elm &c.

North Between Sec. 5 & 6, Tl. N. R. 1 E.

20.30 a Buckeye 12 m. dia.

40.00 Set the of Sec. post, from which
a Buckeye bush 3 m. dia. bear N 37 E 10 lbs. dist. of
a Do 2 1/2 " " " S 51 E 14 " "

61.20 an Ash 16 m. dia.

71.25 a Savanna 54 lbs. wide

80.90 Intersected the N. boundary 570 lbs. E. of post
Set a post Cor. to Sec. 5 & 6, from which
a Buckeye 12 m. dia. bear S 30 E 8 lbs. dist. of
a Do. 16 " " " S 65 W 22 " "

Level 1st. rate land; Walnut, Hackberry, Locust, Ash, Sycamore
Sycamore &c. underyth. Spice, pawpaw &c. Sept. 20. 1819.

Township N. 11 E. 2^d. Mer. Indiana

Meanders of White River, beginning at a post in the N. boundary, thence down stream on the Left Bank,

S 10 W 20.00

S 35 W 6.00

to a post in the Meridian line
Thence from a post in the Meridian
up stream on the right bank.

N 51 E 5.00

N 57 E 7.50

S 26 E 7.00

N 14 E 5.00

N 1 E 4.00

N 16 E 4.50

N 1 E 11.00

N 13 W 1.82

Intersected the Town line between Towns
N 6 12 N. and 6.64 N. of line on N.W. bank
of White River. Nov. 18th. 1819

Surveyed by Thomas Brown, Dep. Sur.

I certify that the foregoing transcript of field notes
of Township N. 11 E. 2^d. Mer. Ind.^a
has been Comp^d with the original notes in this
office, and found to be correct.

Surveyor General's Office
Cincinnati, Dec. 22, 1840

E. S. Cairnes
Sur. Genl.